

PROPOSED MULTI-STOREY OFFICE BLOCK FOR THE KENYA NATIONAL ASSEMBLY

FURNITURE SCHEDULE

SUBMITTED BY:

MUTISO MENEZES INTERNATIONAL

Architects & Interior Designers





IN ASSOCIATION WITH:


Quantech Consultancy— Quantity Surveyors Wanjohi Mutonyi Consult Ltd. — Civil/Structural Engineers. Mecoy Consultants Ltd — Mechanical & Electrical Engineers.


MARCH 2021.


[8-] SERIES: FURNITURE LAYOUTS



















IT IS ILLEGAL TO USE IT FOR PURPOSES OF CONSTRUCTION OR TO REPRODUCE IT IN PART OR IN WHOLE WITHOUT THE AUTHOR'S PRIOR CONSENT.

1. All work to be carried out in accordance with Council regulations. . Dimensions are in millimetres unless otherwise stated. They are to be read and NOT measured. Check all dimensions on site.

3. PV means permanent ventilation and must be provided above all the doors and windows except WC doors.

ARCHITECTURAL drawings must be used in conjunction with STRUCTURAL, ELECTRICAL, MECHANICAL and any other relevant consultants' drawings.
 Any discrepancies in this drawing must be reported to the Architect

before construction commences. All reinforced concrete work is to be in accordance with structural engineer's details.

REVISIONS

NO.	REVISION/ ISSUE	DATE
R	Window height revised Wall under windows revised from masonry to R.C.	20.07.201
S	1.2No. additional massage suites introduced on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced on Gym Level	17.08.201
	3.Sauna room,steam room,cleaner's room, aerobics gym and cardio gym enlarged 4.Strength gym downsized	
T	Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor Meeting room 02 renamed Meeting room	02.09.201
	on L[]13 10 th & 17 th Typical Floor and L[]14 11 th & 18 th Typical floor 3. Bar on Restaurant floor reinstated	15.09.201
	4. Lobby converted to store on 4th Floor Mid-level	
U	1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all office Flrs.	05.10.201
	3.Boundary wall along County Road moved.	07.10.201
V	1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed.	
	4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor.	14.01.201
W	Accesses to levels 26,27,28 and the Roof revised.	23.01.201
X	1. Accesses to levels 26,27,28,29,30,31 and the Roof revised.	25.01.201
Y	Additional fire exit doors on 4,23, 4 & 25 flrs. Introduction of 25th staff access corridor.	20.07.201
Z	Tunnel and Tunnel Access Building plans, elevations and levels revised	06.12.201
	Tunnel Access Building resized Tunnel shortened	29.01.201 02.02.201
	4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised	24.04.201 27.06.201
	6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor	02.08.201
	Cleaner's room converted to kitchen on typical office floor	22.08.201
	8. Vehicular Tunnel Roof Revised	30.10.201
Α'	Tower Roof Revised Entrance Canopy Revised	28.05.201 29.05.201
В'	1. Door to kitchen on 23rd floor widened from 900 to 1800mm	29.05.202
	Window on 23rd Floor at days storage, vegetable cold room,freezer room and pastry cold room omitted	29.05.202

PROPOSED MULTI-STOREY OFFICE BLOCK ON PLOT L.R. No. 209/11456 FOR THE KENYA NATIONAL ASSEMBLY

19.08.2020

The Parliamentary Service Commission

Tel:3742710/1/2 Fax:254-02-3742717

PROJECT ARCHITECT A. NYONGESA


P.O.Box 44660 - 00100, Nairobi Tel:254-20-2729595 Fax:254-20-2716838

Wanjohi Mutonyi Consult Ltd P.O.Box 21714 - 00505, Nairobi Tel:254-20-3876690/1/2 Fax:254-20-3876690

P.O.Box 20198 - 00200, Nairobi Tel: 254-20-2721492 Fax: 254-20-272288 e-mail: mecoyconsultants@gmail.com

S. K. MULI (OGW). CHIEF ARCHITECT

STATE DEPARTMENT OF PUBLIC WORKS ARCHITECTURE DEPARTMENT



IT IS ILLEGAL TO USE IT FOR PURPOSES OF CONSTRUCTION OR TO REPRODUCE IT IN PART OR IN WHOLE WITHOUT THE AUTHOR'S PRIOR

1. All work to be carried out in accordance with Council regulations.

3. PV means permanent ventilation and must be provided above all the doors and windows except WC doors.

. ARCHITECTURAL drawings must be used in conjunction with STRUCTURAL, ELECTRICAL, MECHANICAL and any other

All reinforced concrete work is to be in accordance with structural

REVISIONS

	NO.	REVISION/ ISSUE	DATE
	R	Window height revised Wall under windows revised from masonry to R.C.	20.07.201
	S	1.2No. additional massage suites introduced on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced	17.08.201
		on Gym Level 3.Sauna room,steam room,cleaner's room, aerobics gym and cardio gym enlarged 4.Strength gym downsized	
	Т	Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor	02.09.201
		2. Meeting room 02 renamed Meeting room on L[]13 10 th & 17 th Typical Floor and L[]14 11 th & 18 th Typical floor	
/		3. Bar on Restaurant floor reinstated	15.09.201
X		4. Lobby converted to store on 4th Floor Mid-level	
	U	1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all office Flrs.	05.10.201
		3.Boundary wall along County Road moved.	07.10.201
	V	1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor.	
		3.Roof plan revised and BMU support system changed.	
		4.Positions of roofwater tanks revised.	
		5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor.	14.01.201
	W	1. Accesses to levels 26,27,28 and the Roof revised.	23.01.201
	X	1. Accesses to levels 26,27,28,29,30,31 and the Roof revised.	25.01.201
	Y	1. Additional fire exit doors on 4,23, 24 & 25 flrs.	20.07.201
		2. Introduction of 25th staff access corridor.	
	Z	1. Tunnel and Tunnel Access Building plans, elevations and levels revised	06.12.201
		2. Tunnel Access Building resized 3. Tunnel shortened	29.01.201 02.02.201
		4. Lift shaft dimension revised - Tunnel Access	24.04.201
		Building 5. 25th Level (Service Floor) Revised	27.06.201
		6. Tea rooms 1 & 2 converted to Cleaner's rooms	02.08.201
		1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor	22.08.201
<u>.</u>		8. Vehicular Tunnel Roof Revised	30.10.201
	Α'	1. Tower Roof Revised	28.05.201
		Entrance Canopy Revised	29.05.201
	В'	1. Door to kitchen on 23rd floor widened from 900 to 1800mm	29.05.202
		Window on 23rd Floor at days storage, vegetable cold room,freezer room and pastry cold room omitted	29.05.202
	C'	Control rooms introduced in all committee rooms	19.08.202
	D'	1. 1 No. Telecom room has been provided for.	02.02.202

PROPOSED MULTI-STOREY OFFICE BLOCK ON PLOT L.R. No. 209/11456


The Parliamentary Service Commission

architectural, planning and interior design consultant

P.O.Box 20198 - 00200, Nairobi Tel: 254-20-2721492 Fax: 254-20-272288

4TH FLOOR SKY GARDEN FURNITURE LAYOUTS

STATE DEPARTMENT OF PUBLIC WORKS



CONSTRUCTION OR TO REPRODUCE IT IN PART OR IN WHOLE WITHOUT THE AUTHOR'S PRIOR

1. All work to be carried out in accordance with Council regulations.

 Dimensions are in millimetres unless otherwise stated.
 They are to be read and NOT measured.
 Check all dimensions on site.
 PV means permanent ventilation and must be provided above all the doors and windows except WC doors.

ARCHITECTURAL drawings must be used in conjunction with STRUCTURAL, ELECTRICAL, MECHANICAL and any other relevant consultants' drawings.
 Any discrepancies in this drawing must be reported to the Architect before construction commences.

6. All reinforced concrete work is to be in accordance with structural engineer's details. 7. Floor drainage to Mechanical engineer's details and shop

REVISIONS

2. Wall under windows revised from masonry to R.C. S 1.2No. additional massage suites introduced on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3. Sauna room,steam room,cleaner's room, aerobics gym and cardio gym enlarged 4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10 th & 17 th Typical Floor and L[]14 11 th & 18 th Typical floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Firs. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 25 ffrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised	NO.	REVISION/ ISSUE	DATE
S 1.2No. additional massage suites introduced on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3. Sauna room, steam room, cleaner's room, aerobics gym and cardio gym enlarged 4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12 Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10 th & 18 th Typical Floor and L[]14 11 th & 18 th Typical Floor and L[]14 11 th & 18 th Typical floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all office Firs. 3.Boundary wall along County Road moved. 07.10.201 V 1.Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. 14.01.201 W 1. Accesses to levels 26,27,28 and the Roof revised. 23.01.201 revised. 23.01.201 revised. 25.01.201 Roof Roof Roof Roof Roof Roof Roof Roo	R	2. Wall under windows revised from masonry	20.07.201
4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12 Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10th & 17th Typical Floor and L[]14 11th & 18th Typical floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Flrs. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. V 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28 and the Roof Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 ffrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. Sundows on 23rd Floor at days storage, vegetable cold room, freezer room and	S	on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3.Sauna room,steam room,cleaner's room,	17.08.201
4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Firs. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 firs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	T	4. Strength gym downsized 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10 th & 17 th Typical Floor and L[]14 11 th & 18 th Typical floor	02.09.201
3.Boundary wall along County Road moved. V 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 3. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	U	4. Lobby converted to store on 4th Floor Mid-level 1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all	05.10.201
5.Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel Access Building resized 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 27.06.2016 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 28.05.2016 29.05.2016 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	V	3.Boundary wall along County Road moved. 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system	07.10.201
revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 29.05.201 A' 1. Tower Roof Revised 2. Entrance Canopy Revised 29.05.202 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	\A/	5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor.	14.01.201
Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 02.02.201 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 27.06.201 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 28.05.201 2. Entrance Canopy Revised 29.05.201 29.05.201 B 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		revised.	23.01.201
24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 27.05.201 A' 1. Tower Roof Revised 28.05.201 A' 1. Tower Roof Revised 29.05.201 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	X		25.01.201
elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised A' 1. Tower Roof Revised 22. Entrance Canopy Revised 23.05.201 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	Υ	24 & 25 flrs.	20.07.201
6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 30.10.201 A' 1. Tower Roof Revised 2. Entrance Canopy Revised 29.05.201 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room,freezer room and	Z	elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building	06.12.201 29.01.201 02.02.201 24.04.201
typical office floor 8. Vehicular Tunnel Roof Revised 30.10.201 A' 1. Tower Roof Revised 2. Entrance Canopy Revised 29.05.201 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		6. Tea rooms 1 & 2 converted to Cleaner's rooms	27.06.201 02.08.201
A' 1. Tower Roof Revised 28.05.201 2. Entrance Canopy Revised 29.05.201 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room,freezer room and		typical office floor	22.08.201 30.10.201
from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room,freezer room and	Α'	1. Tower Roof Revised	28.05.201 29.05.201
vegetable cold room,freezer room and	В'		29.05.202
		vegetable cold room,freezer room and	29.05.202

PROPOSED MULTI-STOREY OFFICE BLOCK ON PLOT L.R. No. 209/11456 FOR THE KENYA NATIONAL ASSEMBLY

The Parliamentary Service Commission

MINISTRY OF TRANSPORT, INFRASTRUCTURE, HOUSING & URBAN DEVELOPMENT
P.O. Box 30260-00100 Nairobi. Tel. 254-20-2723101
Works Building - Ngong Road, Nairobi.
Email: info@publicworks.go.ke

CONSULTANTS

architectural, planning and interior design consultants P.O.Box 44934-00100, Nairobi.

Tel:3742710/1/2 Fax:254-02-3742717

PROJECT ARCHITECT A. NYONGESA

P.O.Box 44660 - 00100, Nairobi Tel:254-20-2729595 Fax:254-20-2716838

e-mail: info@quantech.com Wanjohi Mutonyi Consult Ltd.

P.O.Box 21714 - 00505, Nairobi Tel:254-20-3876690/1/2 Fax:254-20-3876693

e-mail: wce@kenyaweb.com


P.O.Box 20198 - 00200, Nairobi Tel: 254-20-2721492 Fax: 254-20-2722881


4TH FLOOR MID-LEVEL FURNITURE PLAN

TEAM LEADER

S. K. MULI (OGW).

STATE DEPARTMENT OF PUBLIC WORKS





L[8-]09a: 6-9th.12th-16th & 19th-22nd TYPICAL OFFICE FLOOR FURNITURE PLAN [14no. floors.]

IN WHOLE WITHOUT THE AUTHOR'S PRIOR

1. All work to be carried out in accordance with Council regulations.

. Dimensions are in millimetres unless otherwise stated. They are to be read and NOT measured. Check all dimensions on site.

3. PV means permanent ventilation and must be provided above all

the doors and windows except WC doors.

. ARCHITECTURAL drawings must be used in conjunction with STRUCTURAL, ELECTRICAL, MECHANICAL and any other relevant consultants' drawings.

. Any discrepancies in this drawing must be reported to the Architect before construction commences.

All reinforced concrete work is to be in accordance with structural engineer's details.

Floor drainage to Mechanical engineer's details and shop

R 1. Window height revised 2. Wall under windows revised from masonry to R.C. S 1.2No. additional massage suites introduced on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3. Sauna room, steam room, cleaner's room, aerobics gym and cardio gym enlarged 4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10 th & 17 th Typical Floor and L[]14 11 th & 18 th Typical floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level 4. Lobby converted to store on 4th Floor Mid-level 4. Lobby converted to store on 4th Floor. 2. Meeting room 2 and Store omitted on all office Firs. 3. Boundary wall along County Road moved. 07.10.2 V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. 14.01.2 W 1. Accesses to levels 26,27,28 and the Roof revised. 2. Introduction of 25th staff access corridor. 2. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaff dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Kitchen on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Septical Endorm 12a Canopy Revised 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and 290.52.		REVISIONS	
2. Wall under windows revised from masonry to R.C. S 1.2No. additional massage suites introduced on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3. Sauna room, steam room, cleaner's room, aerobics gym and cardio gym enlarged 4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 nih & 17th Typical Floor and L[-]14 11th & 18th Typical floor and L[-]14 11th & 18th Typical floor and L[-]14 11th & 18th Typical floor and L[-]15 this converted to store on 4th Floor Mid-level 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Flors. 3. Boundary wall along County Road moved. 07.10.2 V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. 14.01.2 W 1. Accesses to levels 26,27,28 and the Roof revised. 2. Tunnel Access to levels 26,27,28 and the Roof revised. 2. Introduction of 25th staff access corridor. 2. Introduction of 25th staff acc	NO.	REVISION/ ISSUE	DATE
S 1.2No. additional massage suites introduced on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3. Sauna room.steam room.cleaner's room, aerobics gym and cardio gym enlarged 4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12 Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10th & 17th Typical Floor and L[]14 11th & 18th Typical floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level 4. Lobby converted to store on 4th Floor Mid-level 4. Lobby converted to store on 4th Floor Mid-level 5. Which was a subject of the floor 2. Weeting room 2 and Store omitted on all office Flrs. 3. Boundary wall along County Road moved. 6. V. 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms.caretakers bathrooms and dining omitted on 25th floor. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms.caretakers bathrooms and dining omitted on 25th floor. 4. Accesses to levels 26,27,28,29,30,31 and the Roof revised. 7. Accesses to levels 26,27,28,29,30,31 and the Roof revised. 8. Introduction of 25th staff access corridor. 9. Lintroduction of 25th staff access corrido	R	2. Wall under windows revised from masonry	20.07.20
2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3. Sauna room, steam room, cleaner's room, aerobics gym and cardio gym enlarged 4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12 Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10th & 17th Typical Floor and L[]14 11th & 18th Typical floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Flors. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 firs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel And Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised A' 1. Tower Roof Revised 2. Entrance Canopy Revised B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	S	1.2No. additional massage suites introduced	17.08.20
4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12 Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10th & 17th Typical Floor and L[]14 11th & 18th Typical Floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Flrs. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. X 1. Additional fire exit doors on 4,23, 24 & 25 ffrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised A' 1. Tower Roof Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Windows on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3.Sauna room,steam room,cleaner's room,	
L[]12a Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10th & 17th Typical Floor and L[]14 11th & 18th Typical Floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all office Flors. 3.Boundary wall along County Road moved. V 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 firs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Windows on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		4.Strength gym downsized	
on L[]13 10 th & 17 th Typical Floor and L[]14 11 th & 18 th Typical Floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all office Flrs. 3.Boundary wall along County Road moved. V 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms.caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	T	1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor	02.09.20
4. Lobby converted to store on 4th Floor Mid-level U 1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all office Flrs. 3.Boundary wall along County Road moved. V 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel Access Building resized 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised A' 1. Tower Roof Revised 2. Entrance Canopy Revised 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		on L[]13 10 th & 17 th Typical Floor and	
U 1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all office Flrs. 3.Boundary wall along County Road moved. V 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor. V 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised A' 1. Tower Roof Revised 2. Entrance Canopy Revised B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and			15.09.20
V 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised A' 1. Tower Roof Revised 2. Entrance Canopy Revised 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	U	1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all	05.10.20
2. Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. 1. Accesses to levels 26,27,28 and the Roof revised. 2. 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. 2. 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. 2. 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	.,		07.10.20
5.Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 27.06.2 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 28.05.2 2. Entrance Canopy Revised 29.05.2 2. 29.05.2 8. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and 29.05.2	V	Noids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. Roof plan revised and BMU support system	
revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Windows on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		5.Windows to duty room bathrooms,caretakers	14.01.20
Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Windows on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	W		23.01.20
24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 22.08.2 24.04.2 A' 1. Tower Roof Revised 22.08.2 2. Entrance Canopy Revised 23.01.2 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	X		25.01.20
Tunnel and Tunnel Access Building plans, elevations and levels revised Tunnel Access Building resized Tunnel shortened Lift shaft dimension revised - Tunnel Access Building Suilding S	Y	24 & 25 firs.	20.07.20
2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 22.08.2 2 Entrance Canopy Revised 22. Entrance Canopy Revised 23.05.2 2 Entrance Canopy Revised 29.05.2 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	Z		06.12.20
4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 22.08.2 4 1. Tower Roof Revised 28.05.2 2. Entrance Canopy Revised 29.05.2 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		2. Tunnel Access Building resized	29.01.20
5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 30.10.2 A' 1. Tower Roof Revised 28.05.2 2. Entrance Canopy Revised 29.05.2 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		4. Lift shaft dimension revised - Tunnel Access	24.04.20
1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 30.10.2 A' 1. Tower Roof Revised 28.05.2 2. Entrance Canopy Revised 29.05.2 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room,freezer room and		•	27.06.20
typical office floor 8. Vehicular Tunnel Roof Revised 30.10.2 A' 1. Tower Roof Revised 2. Entrance Canopy Revised 29.05.2 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room,freezer room and			02.08.20
8. Vehicular Tunnel Roof Revised 30.10.2 A' 1. Tower Roof Revised 28.05.2 2. Entrance Canopy Revised 29.05.2 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and			22.08.20
2. Entrance Canopy Revised 29.05.2 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and			30.10.20
from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room,freezer room and	Α'		28.05.20 29.05.20
vegetable cold room,freezer room and	В'		29.05.20
pastry cold room omitted			29.05.20

PROPOSED MULTI-STOREY OFFICE BLOCK ON PLOT L.R. No. 209/11456 FOR THE KENYA NATIONAL ASSEMBLY

The Parliamentary Service Commission

Works Building - Ngong Road, Nairobi. Email: info@publicworks.go.ke


P.O.Box 44934-00100, Nairobi.

Tel:3742710/1/2 Fax:254-02-3742717

PROJECT ARCHITECT A. NYONGESA LEAD CONSULTANT A. SIMU

P.O.Box 44660 - 00100, Nairobi Tel:254-20-2729595 Fax:254-20-2716838

STATE DEPARTMENT OF PUBLIC WORKS



L[8-]10: 10th & 17th/11th & 18th (with Sky gardens). TYPICAL FLOOR FURNITURE PLAN

THIS DRAWING IS THE

CONSTRUCTION OR TO REPRODUCE IT IN PART OR IN WHOLE WITHOUT THE AUTHOR'S PRIOR

1. All work to be carried out in accordance with Council regulations. 2. Dimensions are in millimetres unless otherwise stated. They are to be read and NOT measured.

Check all dimensions on site. 3. PV means permanent ventilation and must be provided above all the doors and windows except WC doors.

4. ARCHITECTURAL drawings must be used in conjunction with STRUCTURAL, ELECTRICAL, MECHANICAL and any other relevant consultants' drawings.

5. Any discrepancies in this drawing must be reported to the Architect

before construction commences. All reinforced concrete work is to be in accordance with structural engineer's details.

Floor drainage to Mechanical engineer's details and shop

DEVICIONS

NO.	REVISION/ ISSUE	C
R	Window height revised Wall under windows revised from masonry to R.C.	20
S	1.2No. additional massage suites introduced on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3.Sauna room,steam room,cleaner's room, aerobics gym and cardio gym enlarged 4.Strength gym downsized	17
T	1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10 th & 17 th Typical Floor and L[]14 11 th & 18 th Typical floor 3. Bar on Restaurant floor reinstated	02
U	4. Lobby converted to store on 4th Floor Mid-level 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Flrs. 3. Boundary wall along County Road moved.	05
V	1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor.	14
W	Accesses to levels 26,27,28 and the Roof revised.	2
Y	1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor.	2
Z	1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised	00 29 02 24 27 02 22 30
Α'	1. Tower Roof Revised 2. Entrance Canopy Revised	2
В'	Door to kitchen on 23rd floor widened from 900 to 1800mm Windows on 23rd Floor at days storage, vegetable cold room,freezer room and pastry cold room omitted	2

ON PLOT L.R. No. 209/11456 FOR THE KENYA NATIONAL ASSEMBLY

The Parliamentary Service Commission

PROJECT ARCHITECT A. NYONGESA LEAD CONSULTANT A. SIMU


P.O.Box 44660 - 00100, Nairobi Tel:254-20-2729595 Fax:254-20-2716838

Wanjohi Mutonyi Consult Ltd

TYPICAL GARDEN OFFICE FURNITURE PLAN

TEAM LEADER

STATE DEPARTMENT OF PUBLIC WORKS



IT IS ILLEGAL TO USE IT FOR PURPOSES OF CONSTRUCTION OR TO REPRODUCE IT IN PART OR IN WHOLE WITHOUT THE AUTHOR'S PRIOR CONSENT.

1. All work to be carried out in accordance with Council regulations.

- . Dimensions are in millimetres unless otherwise stated. They are to be read and NOT measured. Check all dimensions on site.
- 3. PV means permanent ventilation and must be provided above all the doors and windows except WC doors.
- 4. ARCHITECTURAL drawings must be used in conjunction with STRUCTURAL, ELECTRICAL, MECHANICAL and any other
- relevant consultants' drawings.

 5. Any discrepancies in this drawing must be reported to the Architect before construction commences. 6. All reinforced concrete work is to be in accordance with structural
- engineer's details. Floor drainage to Mechanical engineer's details and shop

REVISIONS

introduced 17.08.20 introduced 17.08.20 iop introduced er's room, nlarged 2 Fifth Floor and 02.09.20 eting room foor and 15.09.20 the Floor Mid-level ed on all ed on all ed or
pris room, nlarged 2 Fifth Floor and 02.09.20 eting room por and ted 15.09.20 h Floor Mid-level office Floors. ed on all ead moved. 07.10.20 Floor. Mechanical of 26th floor.
er's room, nlarged 2 Fifth Floor and 2 Fifth Floor and eting room for and ted 15.09.20 h Floor Mid-level effice Floors. ed on all ead moved. 07.10.20 Floor. Mechanical of 26th floor.
2 Fifth Floor and 02.09.20 eting room or and 15.09.20 ted 15.09.20 h Floor Mid-level office Floors. ed on all or and 07.10.20 Floor. Mechanical of 26th floor.
eting room for and ted
ted 15.09.20 h Floor Mid-level 05.10.20 ed on all 07.10.20 Floor. Mechanical of 26th floor.
h Floor Mid-level ffice Floors. ed on all add moved. Floor. Mechanical of 26th floor.
office Floors. ed on all ad moved. Floor. Mechanical of 26th floor.
ed on all orad moved. 07.10.20 Floor. Mechanical of 26th floor.
Floor. Mechanical of 26th floor.
Mechanical of 26th floor.
of 26th floor.
port system
sed.
s,caretakers 25th floor. 14.01.20
1 the Roof 23.01.20
,30,31 and the 25.01.20
3, 20.07.20 s corridor.
ding plans, 06.12.20
00.12.20
29.01.20 02.02.20
unnel Access 24.04.20
sed 27.06.20
Cleaner's rooms 02.08.20
chen on 22.08.20
30.10.20
28.05.20
29.05.20
idened 29.05.20
storage, 29.05.20 and
i

ON PLOT L.R. No. 209/11456 FOR THE KENYA NATIONAL ASSEMBLY

The Parliamentary Service Commission

Works Building - Ngong Road, Nairobi. Email: info@publicworks.go.ke

architectural, planning and interior design consultants P.O.Box 44934-00100, Nairobi.

Tel:3742710/1/2 Fax:254-02-3742717

PROJECT ARCHITECT A. NYONGESA LEAD CONSULTANT A. SIMU

P.O.Box 44660 - 00100, Nairobi Tel:254-20-2729595 Fax:254-20-2716838

P.O.Box 21714 - 00505, Nairobi Tel:254-20-3876690/1/2 Fax:254-20-3876693 e-mail: wce@kenyaweb.com


P.O.Box 20198 - 00200, Nairobi Tel: 254-20-2721492 Fax: 254-20-2722881

RESTAURANT FLOORFURNITURE PLAN

S. K. MULI (OGW).

STATE DEPARTMENT OF PUBLIC WORKS





L[8-]12-24th LEVEL GYMN & HEALTH CLUB FURNITURE PLAN

THIS DRAWING IS THE COPYRIGHT OF THE ARCHITECT

IT IS ILLEGAL TO USE IT FOR PURPOSES OF CONSTRUCTION OR TO REPRODUCE IT IN PART OR IN WHOLE WITHOUT THE AUTHOR'S PRIOR

1. All work to be carried out in accordance with Council regulations.

 Dimensions are in millimetres unless otherwise stated.
 They are to be read and NOT measured.
 Check all dimensions on site. 3. PV means permanent ventilation and must be provided above all the doors and windows except WC doors.

ARCHITECTURAL drawings must be used in conjunction with STRUCTURAL, ELECTRICAL, MECHANICAL and any other relevant consultants' drawings.
 Any discrepancies in this drawing must be reported to the Architect before construction commences.

All reinforced concrete work is to be in accordance with structural engineer's details.

Floor drainage to Mechanical engineer's details and shop

REVISIONS

	REVISION/ ISSUE	DA
R	Window height revised Wall under windows revised from masonry B.C.	20.07.
S	to R.C. 1.2No. additional massage suites introduced	17.08.
	on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced	
	on Gym Level 3.Sauna room,steam room,cleaner's room, aerobics gym and cardio gym enlarged	
Т	4. Strength gym downsized	02.09.
'	1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor	02.09.
	2. Meeting room 02 renamed Meeting room on L[]13 10 th & 17 th Typical Floor and L[]14 11 th & 18 th Typical floor	
	3. Bar on Restaurant floor reinstated	15.09.
U	4. Lobby converted to store on 4th Floor Mid-level 1. Public toilets introduced on all office Floors.	05.10.
	2.Meeting room 2 and Store omitted on all	00.10.
	office FIrs. 3.Boundary wall along County Road moved.	07.10.
V	1.Tower columns extended to 26th Floor.	57.10.
	2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor.	
	3.Roof plan revised and BMU support system	
	changed.	
	4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers	
147	bathrooms and dining omitted on 25th floor.	14.01.
W	1. Accesses to levels 26,27,28 and the Roof revised.	23.01.
X	1. Accesses to levels 26,27,28,29,30,31 and the Roof revised.	25.01.
Y	Additional fire exit doors on 4,23, 24 & 25 flrs. Introduction of 25th staff access corridor.	20.07.
Z	Tunnel and Tunnel Access Building plans,	06.12.
	elevations and levels revised 2. Tunnel Access Building resized	29.01.
	Tunnel Access Building resized Tunnel shortened	02.02.
	4. Lift shaft dimension revised - Tunnel Access Building	24.04.
	5. 25th Level (Service Floor) Revised	27.06.
	1	
	6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor	02.08.
		02.08. 22.08.
	1& 2 on typical office floor7. Cleaner's room converted to kitchen on	
A'	1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 1. Tower Roof Revised	22.08.
A'	1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised	22.08. 30.10. 28.05.

PROPOSED MULTI-STOREY OFFICE BLOCK ON PLOT L.R. No. 209/11456 FOR THE KENYA NATIONAL ASSEMBLY

The Parliamentary Service Commission

MINISTRY OF TRANSPORT, INFRASTRUCTURE, P.O. Box 30260-00100 Nairobi. Tel. 254-20-2723101

Works Building - Ngong Road, Nairobi. Email: info@publicworks.go.ke

CONSULTANTS

Mutiso Menezes Internationa architectural, planning and interior design consultants.

P.O.Box 44934-00100, Nairobi. Tel:3742710/1/2 Fax:254-02-3742717


PROJECT ARCHITECT A. NYONGESA LEAD CONSULTANT A. SIMU

P.O.Box 44660 - 00100, Nairobi Tel:254-20-2729595 Fax:254-20-2716838

GYM /HEALTH CLUB FURNITURE PLAN

STATE DEPARTMENT OF PUBLIC WORKS

ARCHITECTURE DEPARTMENT FOR THE GOVERNMENT OF THE REPUBLIC OF KENYA



COPYRIGHT OF THE ARCHITECT

IT IS ILLEGAL TO USE IT FOR PURPOSES OF CONSTRUCTION OR TO REPRODUCE IT IN PART OR IN WHOLE WITHOUT THE AUTHOR'S PRIOR CONSENT.

THIS DRAWING IS THE

1. All work to be carried out in accordance with Council regulations. Dimensions are in millimetres unless otherwise stated. They are to be read and NOT measured.

. PV means permanent ventilation and must be provided above all the doors and windows except WC doors.

. ARCHITECTURAL drawings must be used in conjunction with STRUCTURAL, ELECTRICAL, MECHANICAL and any other

relevant consultants' drawings.

5. Any discrepancies in this drawing must be reported to the Architect before construction commences.

6. All reinforced concrete work is to be in accordance with structural engineer's details.

Floor drainage to Mechanical engineer's details and shop

REVISIONS

2. Wall under windows revised from masonry to R.C. S 1.2No. additional massage suites introduced on Gym Level 2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3. Sauna room,steam room,cleaner's room, aerobics gym and cardio gym enlarged 4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10 th & 17 th Typical Floor and L[]14 11 th & 18 th Typical Floor and L[]14 11 th & 18 th Typical floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Firs. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 firs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. En	NO.	REVISION/ ISSUE	DAT
S	R	2. Wall under windows revised from masonry	20.07.
2.1 no. Salon and 1 no. Barber shop introduced on Gym Level 3. Sauna room,steam room,cleaner's room, aerobics gym and cardio gym enlarged 4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]13 Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10th & 17th Typical Floor and L[]14 11th & 18th Typical Floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Flrs. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel Access Building resized 3. Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised A' 1. Tower Roof Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	S	1.2No. additional massage suites introduced	17.08.
3. Sauna room, steam room, cleaner's room, aerobics gym and cardio gym enlarged 4. Strength gym downsized T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12 Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10th & 17th Typical Floor and L[]14 11th & 18th Typical Floor and L[]14 11th & 18th Typical floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Flrs. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,and the Roof revised. X 1. Accesses to levels 26,27,28,and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 firs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Entrance Canopy Revised 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		2.1 no. Salon and 1 no. Barber shop introduced	
T 1. Tea room 1 reinstated on L[]12 Fifth Floor and L[]12a Typical office floor 2. Meeting room 02 renamed Meeting room on L[]13 10th & 17th Typical Floor and L[]14 11th & 18th Typical Floor and L[]14 11th & 18th Typical Floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Flrs. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 firs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		3.Sauna room,steam room,cleaner's room, aerobics gym and cardio gym enlarged	
2. Meeting room 02 renamed Meeting room on L[-]13 10th & 17th Typical Floor and L[-]14 11th & 18th Typical Floor and L[-]14 11th & 15.09 4. Lobby converted to store on 4th Floor Mid-level U 1. Public toilets introduced on all office Floors. 2. Meeting room 2 and Store omitted on all office Floor. 2. Meeting room 2 and Store omitted on all office Floor. 2. Voids on 26th floor slab omitted Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. 4. Accesses to levels 26,27,28 and the Roof revised. 23.01 revised. 24.02 25.01 25.01 26.12 27.01 27.02 28.25 28.05 29.01 29.01 29.02 29.01 29.02 29.03 29.04 29.05 29.	Т		02.09.
L[]14 11th & 18th Typical floor 3. Bar on Restaurant floor reinstated 4. Lobby converted to store on 4th Floor Mid-level U 1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all office Firs. 3.Boundary wall along County Road moved. V 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 firs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised A' 1. Tower Roof Revised 2. Entrance Canopy Revised B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		L[]12a Typical office floor 2. Meeting room 02 renamed Meeting room	
U 1.Public toilets introduced on all office Floors. 2.Meeting room 2 and Store omitted on all office Firs. 3.Boundary wall along County Road moved. V 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 firs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised A' 1. Tower Roof Revised 2. Entrance Canopy Revised B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		L[]14 11 th & 18 th Typical floor	15.09.
2. Meeting room 2 and Store omitted on all office FIrs. 3. Boundary wall along County Road moved. V 1. Tower columns extended to 26th Floor. 2. Voids on 26th floor slab omitted. Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. V 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. V 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 30.10 A' 1. Tower Roof Revised 2. Entrance Canopy Revised 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		4. Lobby converted to store on 4th Floor Mid-level	05.40
V 1.Tower columns extended to 26th Floor. 2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3.Roof plan revised and BMU support system changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	U	2.Meeting room 2 and Store omitted on all	05.10.
2. Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor. 3. Roof plan revised and BMU support system changed. 4. Positions of roofwater tanks revised. 5. Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. 1. Accesses to levels 26,27,28 and the Roof revised. 2. 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. 2. 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. 2. 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised A' 1. Tower Roof Revised 2. Entrance Canopy Revised B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and			07.10.
changed. 4.Positions of roofwater tanks revised. 5.Windows to duty room bathrooms,caretakers bathrooms and dining omitted on 25th floor. 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	V	2.Voids on 26th floor slab omitted.Mechanical ventilation to be extended to parts of 26th floor.	
5.Windows to duty room bathrooms, caretakers bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 02.02 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 27.06 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 28.05 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		changed.	
bathrooms and dining omitted on 25th floor. W 1. Accesses to levels 26,27,28 and the Roof revised. X 1. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 02.02 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 27.06 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 29.05 A' 1. Tower Roof Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and			
T. Accesses to levels 26,27,28,29,30,31 and the Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 firs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 27.06 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 28.05 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		bathrooms and dining omitted on 25th floor.	14.01.
Roof revised. Y 1. Additional fire exit doors on 4,23, 24 & 25 flrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 28.05 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	W		23.01.
24 & 25 ffrs. 2. Introduction of 25th staff access corridor. Z 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 30.10 A' 1. Tower Roof Revised 2. Entrance Canopy Revised B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	Χ		25.01.
2 1. Tunnel and Tunnel Access Building plans, elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 22.08 4. Tower Roof Revised 22.08 5. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 20.08 6. Tea rooms 1 & 2	Υ	24 & 25 flrs.	20.07.
elevations and levels revised 2. Tunnel Access Building resized 3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 22.08 A' 1. Tower Roof Revised 22. Entrance Canopy Revised 23.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	7		
3. Tunnel shortened 4. Lift shaft dimension revised - Tunnel Access Building 5. 25th Level (Service Floor) Revised 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1 & 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 22.08 2. Entrance Canopy Revised 23.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and	2	elevations and levels revised	06.12.
Building 5. 25th Level (Service Floor) Revised 27.06 6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 28.05 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		S C C C C C C C C C C C C C C C C C C C	29.01. 02.02.
6. Tea rooms 1 & 2 converted to Cleaner's rooms 1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 30.10 A' 1. Tower Roof Revised 28.05 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		Building	24.04.
1& 2 on typical office floor 7. Cleaner's room converted to kitchen on typical office floor 8. Vehicular Tunnel Roof Revised 30.10 A' 1. Tower Roof Revised 28.05 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and			27.06. 02.08.
typical office floor 8. Vehicular Tunnel Roof Revised 30.10 A' 1. Tower Roof Revised 28.05 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		1& 2 on typical office floor	
A' 1. Tower Roof Revised 28.05 2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		typical office floor	
2. Entrance Canopy Revised 29.05 B' 1. Door to kitchen on 23rd floor widened from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room, freezer room and		8. Vehicular Tunnel Roof Revised	30.10.
from 900 to 1800mm 2. Windows on 23rd Floor at days storage, vegetable cold room,freezer room and	Α'		28.05. 29.05.
vegetable cold room,freezer room and	В'		29.05.
		vegetable cold room,freezer room and	29.05.

PROPOSED MULTI-STOREY OFFICE BLOCK ON PLOT L.R. No. 209/11456 FOR THE KENYA NATIONAL ASSEMBLY

The Parliamentary Service Commission

Works Building - Ngong Road, Nairobi. Email: info@publicworks.go.ke

architectural, planning and interior design consultant P.O.Box 44934-00100, Nairobi.


Tel:3742710/1/2 Fax:254-02-3742717

PROJECT ARCHITECT A. NYONGESA LEAD CONSULTANT A. SIMU

P.O.Box 44660 - 00100, Nairobi Tel:254-20-2729595 Fax:254-20-2716838

SERVICE FLOOR FURNITURE PLAN

STATE DEPARTMENT OF PUBLIC WORKS



ITEM NAME: Circular Coffee Table

CODE: T1





DESCRIPTION:

Dimensions: D600 x H450mm

Material

- Solid mahogany or equivalent and to approval to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery
- Ex. 25mm thick mahogany table top
- Ex. 25mm thick x 75mm high mahogany rail under table top

Structure

Cabriole legs

	LOCATION				
FLOOR	SPACE	QUANTITY			
Ground floor	MP's lounge, public lounge	15			
1 st floor	Lounge areas	8			
2 nd floor	Break out areas	2			
3 rd floor	Break out areas	2			
5 th floor	Lounge area	1			
	Total	28			

ITEM NAME: Circular Coffee Table

CODE: T2

IMAGE



DESCRIPTION:

Dimensions: D400 x H450mm

Material

- Solid mahogany or equivalent and to approval
- Dense mahogany stain finish with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery
- Ex. 25mm thick mahogany table top
- Ex. 25mm thick x 75mm high mahogany rail under table top

Structure

Cabriole legs

LOCATION				
FLOOR	SPACE	QUANTITY		
Ground floor	Public lounge	3		
	Total	3		

ITEM NAME: Oval shaped Coffee Table

CODE: T3

IMAGE



DESCRIPTION:

Dimensions: L900 x W600 x H450mm

- Solid mahogany or equivalent and to approval
- Dense mahogany stain finish to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery
- Ex. 25mm thick mahogany table top
- Ex. 25mm thick x 75mm high mahogany rail under table top

	LOCATION			
FLOOR	SPACE	QUANTITY		
Ground floor	MP's lounge, public lounge	8		
1 st floor	Lounge area	2		
2 nd floor	Break out areas & lounge areas	16		
3 rd floor	Break out areas & lounge areas	16		
	Total	42		

ITEM NAME: Rectangular coffee table

CODE: T4

IMAGE



DESCRIPTION:

Dimensions: L900 x W600 x H450mm


- Solid mahogany or equivalent and to approval
- Dense mahogany stain finish to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery
- Ex. 25mm thick mahogany table top
- Ex. 25mm thick x 75mm high mahogany rail under table top

LOCATION				
FLOOR	SPACE	QUANTITY		
Ground floor	Driver's Room	6		
23 rd floor	Lounge, staff common room	7		
Committee room floors	Chairman's offices	13		
Typical office floors	M.P's offices	266		
25 th floor	Chief and Deputy Security officers, caretaker's living room, reflexology suites	75		
	Total	367		

ITEM NAME: Bar and Dining table

CODE: T5





DESCRIPTION:

Dimensions: L1000 x W900 x H750mm

- Solid mahogany or equivalent and to approval
- Dense mahogany stain finish to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery
- Ex. 25mm thick mahogany table top
- Ex. 25mm thick x 75mm high mahogany rail under table top

LOCATION			
FLOOR	SPACE	QUANTITY	
Ground Floor	MP's Lounge	10	
23 rd floor	Restaurant	35	
	Total	45	

ITEM NAME: Square coffee table

CODE: T6



DESCRIPTION:

Dimensions: L750 x W750 x H750mm

- Solid mahogany or equivalent and to approval
- Dense mahogany stain finish to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery
- Ex. 25mm thick mahogany table top
- Ex. 25mm thick x 75mm high mahogany rail under table top

LOCATION		
FLOOR	SPACE	QUANTITY
Restaurant floor	Staff common room and lounge	3
	Total	3

ITEM NAME: Straight Office Desks

CODE: T7



DESCRIPTION:

Dimensions: L1800 x W600 x H750mm

- Solid mahogany or equivalent and to approval
- Dense mahogany stain finish to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery with waterfall edges and modesty panel at front.
- Desk cable grommets
- Full depth lockable drawers to be on heavy duty runners
- Runners to be concealed TANDEM single extension with integrated BLUMOTION for silent & effortless closing action drawer runners on 600mm nominal length

LOCATION			
FLOOR	SPACE	QUANTITY	
Ground floor	Security guards	1	
Basement 1,2,3 and 4 Level	Stores	12	
	Total	13	

ITEM NAME: L-Shaped office Desk

CODE: T8

IMAGE



DESCRIPTION:

L-shaped office desk with integrated pedestal and curved return

Dimensions: L1500 x W1300 x H750mm

- Solid mahogany or equivalent and to approval
- Dense mahogany stain finish to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery
- Solid Modesty panel at front and side.
- Desk cable grommets
- Full depth lockable drawers to be on heavy duty runners
- Runners to be concealed TANDEM single extension with integrated BLUMOTION for silent & effortless
 closing action drawer runners on 600mm nominal length

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor	Security guards	5
Basement 2 level	offices	10
	Total	15

ITEM NAME: PA's Desk

CODE: T9





DESCRIPTION:

Executive Office Desk, with Side Return Table.

Dimensions:

L1600 x W1200 x H750mm

Material

- Solid mahogany or equivalent and to approval
- Dense mahogany stain finish to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery

Have comprehensive elaborate cable management passing below the top panel to well covered grommet holes on top of the desk.

- Solid Modesty panel at front.
- Full depth lockable drawers to be on heavy duty runners
- Runners to be concealed TANDEM single extension with integrated BLUMOTION for silent & effortless closing action drawer runners on 600mm nominal length

LOCATION		
FLOOR	SPACE	QUANTITY
1st, 2nd, 3rd, and 5th floors	Secretariat	35
4th floor – Mid level	Business Centre	14
Typical office floors	PA's Offices	560
23 rd floor	Restaurant Supervisor, food and beverage controller, Catering Manager	4
24 th floor	Health club manager, Secretary, Assistant health club manager	4
25 th floor	Security officers and secretary	5
	Total	622

ITEM NAME: Conference Table

CODE: T11

IMAGE



DESCRIPTION:

Executive conference table.

Dimensions:

L3900 x W4230 x H750mm

- Solid mahogany or equivalent and to approval
- Have comprehensive elaborate cable management.

LOCATION		
FLOOR	SPACE	QUANTITY
Typical Office floors	Meeting rooms	32
25 th floor	Meeting room	1
	Total	33

ITEM NAME: Executive office desk

CODE: T12

IMAGE



DESCRIPTION:

Dimensions: L2200 x W1800 x H750 mm.

Material

Solid mahogany or equivalent and to approval finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery

- Fixed side return table with full depth lockable drawers to be on heavy duty runners.
- Runners to be concealed TANDEM single extension with integrated BLUMOTION for silent & effortless
 closing action drawer runners on 600mm nominal length
- Inbuilt power and data sockets.
- Have comprehensive elaborate cable management passing below the top panel to well covered grommet holes on top of the desk
- Solid Modesty panel at front.

LOCATION			
FLOOR SPACE QUANTITY			
Committee room floors	Chairman's offices	13	
Typical office floors	MP's offices	338	
25 th floor	Deputy and chief Security officer	2	
	Total	353	

ITEM NAME: Guard desk

CODE: T14





DESCRIPTION:

Dimensions: L1550 x W800 x H750 mm.

Material

• Solid mahogany or equivalent and to approval to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery.

LOCATION		
FLOOR	SPACE	QUANTITY
1st floor	lobby	2
2 nd floor	lobby	2
3rd floor	lobby	2
	Total	6

ITEM NAME: Committee room table

CODE: T15

IMAGE



DESCRIPTION:

Modular tables assembled on site **Dimensions:** L700 x W700 x H900 mm.

- Solid mahogany or equivalent and to approval to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery.
- Retractable keyboard shelves
- Elaborate cable management.

LOCATION		
FLOOR	SPACE	QUANTITY
1 st floor	Committee rooms	134
2 nd floor	Committee rooms	115
3 rd floor	Committee rooms	99
5 th floor	Committee rooms	122
	Total	470

ITEM NAME: Oval Coffee table

CODE: T17





DESCRIPTION:

Dimensions: L700 x W400 x H450 mm.


- Solid mahogany or equivalent and to approval
- Finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery.
- Ex. 25mm thick mahogany table top
- Ex. 25mm thick x 75mm high mahogany rail under table top

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Secretariat offices	21
Typical office floors	PA's offices	260
25 th floor	Chief and deputy security officers	2
	Total	283

ITEM NAME: Witness Table/Desk

CODE: T18

IMAGE



DESCRIPTION:

Dimensions: L1800 x W450 x H750 mm.

- Solid mahogany or equivalent and to approval
- Finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery.
- Solid Modesty panel at front, full height.

LOCATION		
FLOOR SPACE QUANT		
Committee room floors	Committee rooms	26
	Total	26

ITEM NAME: Low level outdoor table

CODE: T19





DESCRIPTION:

Dimensions: L1000 x W700 x H450 mm.

- High quality galvanized metal frame Weather and UV-resistant resin with a hand-woven pattern.
- Tempered glass top.
- Adjustable anti-slip foot pads

LOCATION			
FLOOR	SPACE	QUANTITY	
4 [™] FLOOR	Skygarden	56	
	Total	56	

ITEM NAME: Low level outdoor table

CODE: T20

IMAGE



DESCRIPTION:

Dimensions: L600 x W600 x H450 mm.

- High quality galvanized metal frame
- Weather and UV-resistant resin with a hand-woven pattern.
- Tempered glass top.
- Adjustable anti-slip foot pads

LOCATION		
FLOOR	SPACE	QUANTITY
4 th floor	Skygarden	4
	Total	4

ITEM NAME: Dining table CODE: T21



DESCRIPTION:

Dimensions: L2000 x W1000 x H750 mm.

- Solid mahogany or equivalent and to approval
- Dense mahogany stain finish to be finished with 3 coats of clear lacquer finish to manufacturer's specification and buffed with furniture wax or equivalent prior to final delivery

LOCATION			
FLOOR	SPACE	QUANTITY	
23 rd floor	Private dining	2	
	Total	2	

ITEM NAME: Buffet/Salad Table

CODE: T22

IMAGE




DESCRIPTION:

Dimensions: L1800 x W600 x H750 mm. Feet Height - Top to Bottom 250mm

Material and specification

- Solid mahogany or equivalent and to approval .
- Ex. 25mm thick mahogany table top
- Ex. 25mm thick x 75mm high mahogany rail under table top
- Cabinet doors and drawers.

LOCATION		
FLOOR	SPACE	QUANTITY
23 rd floor	Dining	6
	Total	6



ITEM NAME: Lounge Chair with a low back

CODE: C1



DESCRIPTION:

Dimensions: L660 x W600 x H750 mm.

Materia

5mm thick high grade black semi aniline genuine leather on 60kg/m³ high quality latex foam.

Cushion is removable.

Frame material

Solid mahogany or equivalent and to approval

Legs

Solid mahogany, curved and tapering painted black with nail-on felt furniture pads.

LOCATION		
FLOOR SPACE QUANTITY		
Ground floor	Public lounge	5
	Total	5

ITEM NAME: Lounge Chair with high back

CODE: C2



DESCRIPTION:

Dimensions: L680 x W600 x H900 mm.

Material

5mm thick high grade black semi aniline genuine leather on 60kg/m³ high quality latex foam

Cushion is removable.

Chrome tacks on rear side of back rest

Frame material

Solid mahogany or equivalent and to approval

Leas

Solid mahogany, curved and tapering painted black with nail-on felt furniture pads.

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor	MP's lounge	40
23 rd floor	Private dining	15
	Total	55

ITEM NAME: Bar stool

CODE: C3



DESCRIPTION:

Dimensions: L480 x W600 x H1050 mm.

Material

• 5mm thick high grade black semi aniline genuine leather on 60kg/m³ high quality latex foam.

• Frame: Solid mahogany or equivalent and to approval

• Legs: Solid mahogany or equivalent and to approval tapered and splayed painted black.

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor	Bar	13
4 th floor	Bar and coffee stations	26
Committee room floors	Bar area	20
	Total	59

ITEM NAME: Office chair

CODE: C4

IMAGE



DESCRIPTION:

Dimensions: L800 x W700 x H1100mm

- Seat made of high quality moulded foam material covered by fabric
- Polyurethane arm-rests
- Back rest made of high quality mesh for ventilation
- Head rest made of high quality moulded foam material covered by fabric
- 5 star casters, gas height adjustment and position Synchronized tilting mechanism
- Chrome finish on star base

LOCATION			
FLOOR	SPACE	QUANTITY	
Typical office floor	PA's Offices	560	
23 rd floor	Supervisor, food and beverage controller, catering manager	5	
25 th floor	Secretary, Health club manager, Asst. Health club manager, meeting room	11	
Committee room floors	Secretariat offices	35	
Ground floor	Reception and security offices	12	
	Total	623	

ITEM NAME: P.A's and Secretariat visitor's chair

CODE: C5





DESCRIPTION:

Dimensions: L600 x W600 x H1000mm.

- High quality moulded foam material covered by fabric Polyurethane padded chrome arm-rests

- Back rest made of high quality mesh for ventilation Cantilever base in steel finish with self-stick rubber pads

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Secretariat offices and interpreter's booths	81
Typical office floors	PA's offices	676
25 th floor	Offices	20
	Total	777

ITEM NAME: Executive low back M.P's visitor's chair

CODE: C6

IMAGE



DESCRIPTION:

Dimensions: L700 x W700 x H1000mm

- High quality moulded foam material covered by fabric
- Polyurethane padded chrome arm-rests
- Back rest made of high quality mesh for ventilation Cantilever base in steel finish with self-stick rubber pads

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's office	26
Typical office floors	M.P's offices	676
•		
	Total	702

ITEM NAME: High back Executive MP's Chair

CODE: C7





DESCRIPTION:

Dimensions: L700 x W700 x H1150mm

- Seat made of high quality moulded foam material covered by fabric
- Polyurethane arm-rests
- Back rest made of high quality mesh for ventilation
- Head rest made of high quality moulded foam material covered by fabric
- 5 star casters, gas height adjustment and position
- Synchronized tilting mechanism
- Polyurethane on star base

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's offices and committee rooms	39
Typical office floors	M.P's offices and meeting rooms	370
_	Total	409

ITEM NAME: 3 Seater Sofa

CODE: C8

IMAGE



DESCRIPTION:

Dimensions: L2100 x W700 x H900mm

Material

5mm thick high grade black semi aniline genuine leather on 60kg/m³ high quality latex foam

- Frame: Solid mahogany or equivalent and to approval
- Removable cushions
- Legs: Solid mahogany or equivalent and to approval block foot painted black
- Nail-on felt furniture pads

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor	Driver's room	4
23 rd floor	Staff common room	3
25 th floor	Caretaker's living room, Deputy chief security officer	4
	Total	11

ITEM NAME: Chesterfield 2 Seater Sofa

CODE: C9

IMAGE



DESCRIPTION:

Dimensions: L1530 x W830 x H700mm

Material

5mm thick high grade black semi aniline genuine leather on 60kg/m³ high quality latex foam

Frame: Solid mahogany or equivalent and to approval

- Removable bottom cushions
- Solid mahogany block foot legs painted black
- Decorative chrome tacks
- Nail-on felt furniture pads

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's office	13
Typical office floors	M.P's offices	338
23 rd floor	Lounge	4
25 th floor	Chief security officer	2
	Total	355

ITEM NAME: Chesterfield 1 Seater Leather Sofa

CODE: C10

IMAGE



DESCRIPTION:

Dimensions: L1040 x W830 x H700mm

Material

5mm thick high grade black semi aniline genuine leather on 60kg/m³ high quality latex foam


- Frame: Solid mahogany or equivalent and to approval
- Removable bottom cushion
- Solid mahogany block foot legs painted black
- Decorative chrome tacks
- Nail-on felt furniture pads

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's office	26
Typical office floors	M.P's offices	676
23 rd floor	Lounge	4
25 th floor	Chief security officer	2
	Total	708

ITEM NAME: Committee Witness and Public chair

CODE: C11

IMAGE



DESCRIPTION:

Dimensions: L500 x W500 x H800mm

- Solid mahogany or equivalent and to approval
- Fabric upholstered back and seat rest on high quality latex foam
- Solid mahogany, curved and tapering legs with nail-on felt furniture pads.

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Committee rooms	299
	Total	299

ITEM NAME: Modular seating cut curve unit

CODE: C13





DESCRIPTION:

Dimensions: L2900 x W2000 x H1000mm

Material

5mm thick high grade black semi aniline genuine leather on 60kg/m³ high quality latex foam

- Frame: Solid mahogany or equivalent and to approval
- Removable cushions
- Chrome tapering legs with circular bottom plate with self-stick rubber pads

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor	MP's and public lounge areas	18
Committee Room floors	Committee room breakout areas and lounge areas	13
	Total	31

ITEM NAME: Modular seating L-shaped unit

CODE: C14



DESCRIPTION:

Dimensions: L2900 x W700 x H1000mm

Material

5mm thick high grade black semi aniline genuine leather on 60kg/m³ high quality latex foam

- Frame: Solid mahogany or equivalent and to approval
- Removable cushions

• Solid mahogany base painted black

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor	M.P's lounge	4
All committee room floors	Committee room break out and lounge areas	27
	Total	31



DESCRIPTION:

Dimensions: L600 x W600 x H950mm

Material

Frame: Solid mahogany or equivalent and to approval
Fabric upholstered high button-tufted fabric back rest and on high quality latex foam
Tapering legs painted black

LOCATION		
FLOOR	SPACE	QUANTITY
23 rd floor	Dining area	144
	Total	144

ITEM NAME: Conference Chair

CODE: C20





DESCRIPTION:

Dimensions: L700 x W700 x H1150mm

- Seat made of high quality moulded foam material covered by fabric
- Polyurethane arm-rests
- Back rest made of high quality mesh for ventilation
- Head rest made of high quality moulded foam material covered by fabric
- 5 star casters, gas height adjustment and position
- Synchronized tilting mechanism
- Polyurethane on star base

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Committee rooms	436
Typical office floors	Meeting rooms	224
	Total	660

ITEM NAME: Outdoor 3 seater sofa

CODE: C22

IMAGE



DESCRIPTION:

Dimensions: L2400 x W750 x H1000mm

Material

• Rattan / Wicker, PE rattan, steel frame , 180g polyester fabric

• Removable cushions

LOCATION		
FLOOR	SPACE	QUANTITY
4 th floor	Sky garden	15
	Total	15

ITEM NAME: Outdoor 2 seater sofa

CODE: C23



DESCRIPTION:

Dimensions: L1600 x W750 x H1000mm

Material

High quality galvanized metal frame

- Weather and UV-resistant resin with a hand-woven pattern.
- Adjustable anti-slip foot pads Removable cushions

LOCATION		
FLOOR	SPACE	QUANTITY
4 th floor	Sky garden	25
	•	
	Total	25

ITEM NAME: Outdoor 1 seater sofa

CODE: C24



DESCRIPTION:

Dimensions: L850 x W750 x H1000mm


Material

High quality galvanized metal frame

- Weather and UV-resistant resin with a hand-woven pattern.
- Adjustable anti-slip foot pads Removable cushions

LOCATION			
FLOOR	SPACE	QUANTITY	
4 th floor	Sky garden	16	
	• •		
	Total	16	

2. ACCESSORIES



DESCRIPTION:

Dimensions: L1200 x W550 x H750mm

- Solid mahogany or equivalent and to approval
- Well-polished water fall edges of dyed mahogany finish and to be divided into four pull-out door parts.
- Full depth lockable drawers to be on heavy duty runners
- Runners to be concealed TANDEM single extension with integrated BLUMOTION for silent & effortless closing action drawer runners on 600mm nominal length
- 38x38x3mm RHS frame gold coated

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's office	13
Typical office floors	M.P's offices	338
25 th floor	Chief & deputy security officers	2
	Total	353

ITEM NAME: Five drawer metallic filing cabinet

CODE: CB2

IMAGE



DESCRIPTION:

Dimensions: W470 x D620 x H1320mm

- 4 drawer metal filing cabinet for suspension filing system with powder coated paint, ash gray colour.
- Anti-tilt mechanism.
- Central locking of all drawers.
- Keys to be fully metallic with no plastic parts.

 Cabinet to be equipped with a 10 mm thick security metal rod and padlock fastening hole provision.

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's Secretariate offices	35
Typical office floors	P.A's offices	560
	Total	595

ITEM NAME: Low level credenza

CODE: CB3



DESCRIPTION:

Dimensions: L1000 x W400 x 1200mm

- Solid mahogany or equivalent and to approval
- Adjustable shelf behind each door to accommodate all your belongings Pull-out, adjustable printer shelf for ease of access
- Storage drawer features metal runners and safety stops
- Quick and easy assembly with T-lock drawer system

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's offices	35
Typical office floor	MP's offices	560
	Total	595

ITEM NAME: Low level cabinet

CODE: CB4





DESCRIPTION:

Dimensions: L1000 x W400 x H1200mm

Material

Solid mahogany or equivalent and to approval

Well-polished water fall edges of dyed mahogany finish and to be divided into four pull-out door parts. Hinged doors with chrome pull handles and malpa hinges

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor	Security offices	35
Typical office floors	P.A's offices	560
	Total	595

ITEM NAME: Four drawer fire resistant safe

CODE: CB5

IMAGE



DESCRIPTION:

Fire resistant four drawer, lockable fire safe

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's offices	13
Typical office floors	MP's offices	338
	Total	351

ITEM NAME: Massage console

CODE: CB6





DESCRIPTION:

Dimensions: L1500 x W400 x H1200mm

Material

Solid mahogany

- Well-polished water fall edges of dyed mahogany finish with two equal swing door compartments on either side with chrome handles
- And 3 No. equal size drawers in the mid-section complete with chrome handles and locks on all drawers.
- Full depth lockable drawers to be on heavy duty runners
- Runners to be concealed TANDEM single extension with integrated BLUMOTION for silent & effortless closing action drawer runners on 600mm nominal length
- Hinged doors with chrome pull handles

LOCATION		
FLOOR	SPACE	QUANTITY
24 th floor	Massage suites	6
25 th floor	Reflexology suites	4
	Total	10

ITEM NAME: Office cupboard CODE: TVS





DESCRIPTION:

Dimensions: L1200 x W600 x H2100mm

- Solid mahogany or equivalent and to approval Well-polished water fall edges of dyed mahogany finish and to be divided into two glass door parts.
- Solid mahogany shelves lockable sliding doors at the bottom

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's offices	13
Typical office floors	MP's offices	338
	Total	351

ITEM NAME: Restaurant host's stand

CODE: WS2





DESCRIPTION:

Dimensions: L1000 x W600 x H1200mm

Material:

Solid mahogany or equivalent and to approval Well-polished water fall edges of dyed mahogany finish with lower part divided into four swing door parts.

LOCATION		
FLOOR	SPACE	QUANTITY
23 rd floor(Restaurant floor)	Dining areas	4
	Total	4

ITEM NAME: Rectangular shaped Planter CODE: CP1

IMAGE



DESCRIPTION:

Dimensions: L1200 x W500 x H450mm

Material

Pre-cast Concrete in bush-hammered finish(medium aggregate)

LOCATION		
FLOOR	SPACE	QUANTITY
4 th floor	Sky gardens	27
Typical office floors	Sky gardens	10
	• •	
	Total	37

ITEM NAME: Circular shaped Planter CODE: CP2

IMAGE



DESCRIPTION:

Dimensions: D750 x H450mm

Material

Painted fair-faced and painted concrete.

LOCATION		
FLOOR	SPACE	QUANTITY
4 th floor	Sky gardens	11
Typical office floors	Sky gardens	4
	Total	15

ITEM NAME: Hexagonal Planter CODE: CP3

IMAGE



DESCRIPTION:

Dimensions: L750 x W750 x H450mm

Material Material

Painted fair-faced and painted concrete.

LOCATION		
FLOOR	SPACE	QUANTITY
4 th floor	Sky gardens	10
Typical office floors	Sky gardens	4
	Total	14

ITEM NAME: Executive Coat Hanger CODE: EF1



DESCRIPTION:

Dimensions: L450 x W300 x H1100mm

Material

Chrome Plated Solid mahogany or equivalent and to approval coat hanger 500mm long chrome scarf/tie hanger 300mm dia. Solid mahogany base

LOCATION		
FLOOR	SPACE	QUANTITY
Committee room floors	Chairman's offices	13
Typical office floors	MP's offices	338
	Total	351

ITEM NAME: Rest room single bed CODE: B1 IMAGE



DESCRIPTION:

Dimensions: L2000 x W900 x H1000mm

- Solid mahogany or equivalent and to approval Extended headboard with 50x25mm mahogany bars at 100mmc/c
- 100x100mm solid mahogany legs
- Ex. 38x200mm mahogany rails
- Concealed bolting

LOCATION		
FLOOR	SPACE	QUANTITY
24 th floor	Rest rooms	8
	Total	8


ITEM NAME: Massage Bed CODE: B2



DESCRIPTION:

- Synthetic Leather
- Leg is made of solid beech wood, massage filter is foam, and surface is cover with PU leather The height can be adjustable from 58cm to 78cm
 The top is thick and padded

LOCATION		
FLOOR	SPACE	QUANTITY
24 th floor	Massage suites	6
25 th floor	Reflexology suites	2
	Total	8



DESCRIPTION:

Dimensions: L1800 x H1200mm

Material:

• High Tear-resistance, bright colored Polyester Fabric in satin-finish Alloy Aluminium frame

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor	Public lobby, vip lobby	2
23 rd floor	Staff common room	1
24 th floor	Reception, Cardio gymn & strength gymn	3
25 th floor	Aerobics, security offices, massage suites	3
Basement 2	offices	1
Committee room floors	Corridors	8
	Total	18

ITEM NAME: 6 x 6 Bed with 2no. side night tables CODE: B4





DESCRIPTION:

Dimensions: L1800 x W1800mm

Material:

Solid mahogany or equivalent and to approval

LOCATION		
FLOOR	SPACE	QUANTITY
25 th floor	Caretaker's bedroom and duty room	2
	Total	2

ITEM NAME: Pigeon Holes
CODE: PGH1





DESCRIPTION:

Dimensions: L1200mm(6 boxes) x W400mm x H1600mm(8 boxes)

Material:

Solid mahogany or equivalent and to approval

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor		1
1 st ,2 nd ,3 rd and 5 th floors		4
Typical office floor		14
Typical office floor(sky garden)		4
23 rd floor		1
24 th floor		1
25 th floor		1
	Total	26

ITEM NAME: Bench

CODE: B5





DESCRIPTION:

Dimensions: L1500 x W400mm x H1800mm

Material:

Solid mahogany or equivalent and to approval timber slats fixed on RHS frame with m.s bolts

- Legs with nail-on felt furniture rubber pads
 Hat and coat hook Ref: SCDP lockwood by Assa Abbloy or equivalent and to approval.

LOCATION		
FLOOR	SPACE	QUANTITY
23 rd floor	Staff changing rooms	2
25 th floor	Staff changing rooms	2
	Total	4

ITEM NAME: Bench

CODE: B6





DESCRIPTION:

Dimensions: L3000 x W400mm x H1800mm

Material:

Solid mahogany or equivalent and to approval timber slats fixed on RHS frame with m.s bolts

- Legs with nail-on felt furniture rubber pads
 Hat and coat hook Ref: SCDP lockwood by Assa Abbloy or equivalent and to approval.

LOCATION		
FLOOR	SPACE	QUANTITY
24th floor	Locker rooms	2
25 th floor	VIP changing rooms	2
	Total	4

ITEM NAME: Litter bin
CODE: B7



DESCRIPTION:

Dimensions: L250 x W250mm x H315mm

Material:

10 Litre Aluminium wire mesh in black, reinforced with a solid metal base and solid edging along the bottom and top rim.

LOCATION		
FLOOR	SPACE	QUANTITY
Basement 2, Ground floor to 25th floor	Offices and committee rooms	1166
	Total	1166

ITEM NAME: 3 Rows x 3 Columns locker compartment.

CODE: B8

IMAGE



DESCRIPTION:

Dimensions: L900mm x W450mm x H1800mm

Material:

• 0.7mm thick epoxy powder coated, antirust, damproof steel

- Lockable doors with 1800 opening capability and pocket pull handles
- Nameplate insert
- Vent grilles

LOCATION			
FLOOR SPACE		QUANTITY	
24th & 25th floors	Changing rooms, locker rooms and guard houses	400	
	Total	400	

ITEM NAME: Vertical Venetian Blinds

CODE: B9



DESCRIPTION:


Dimensions: H2700mm

Material:

Blackout & translucent fabrics/ light & heavy fabrics/ sunscreen and fire-retardant fabrics

Color: Egg-shell

LOCATION		
FLOOR	SPACE	QUANTITY
Ground floor to 25th floor	Offices, rooms and committee rooms	4500 Metres
	Total	4500 Metres



DESCRIPTION:

Dimensions: L250 x W250mm x H315mm

Material:

Plastic with braking lock wheels.

Color: Black

LOCATION		
FLOOR	SPACE	QUANTITY
Basements 2, Ground floor to 25th floor	Offices	990
	Total	990

ITEM NAME: 4-tier Multi-purpose metallic shelves CODE: B11

IMAGE



DESCRIPTION:

Dimensions: L900 x W300mm x H1800mm

Material:

• Steel plate on steel frame.

• Color: grey

LOCATION		
FLOOR	SPACE	QUANTITY
Basements 2, Ground floor to 25th floor	Offices and stores	880
	Total	880